

K. H. L. Key

3-6/9/59

3/9/59.

57379 ^{Kupariss sp.} Mod. sun plain, brown-gray soil,
puff-shelf-depression complex, widely
spaced myall, various grasses to 9 in.
Chort. (n)

389. *Narrandera*449. 389. *Narrandera*.

413. Flat plain with brown loam. Trellis,
^{seeds nov. 22 (?) sp. (j.)}
prob. originally myall. *Stipa aristiglumis*
^{creeping}
to 1 ft, occ. *Atriplex* & *Bassia*. Chort (n).

422. Plain with brown loam. Turned
^{*Cryptobothrus chrysophorus*}
from bicolor, rosewood, pine, ~~to~~
bullock. *Bassia quinquecuspis*, *Stipa*,
Chloris acicularis, barley grass. Oedolus
(n), Chort (n)

435. Tall *canadensis* lining
river with muddy banks.

465. Turned off to Currathool.470. Currathool475. Back on Sturt Highway

482. Flat treless plain, brown to grey-brown
^{*Percybrannan*}
greasy to sun soil with a dead grass

Scattered
in tussocks to 6 in. & *Kochia* sp. to
1 ft., very low green pick of forbs.

492. Flat treeless plain with grey-brown
Euphorbia sp. *Eumys* nov. 22(?) sp.
compact red-brown soil. Patches of a
Helichrysum apiculatum (Vahl.) DC. sens.
moody composite 1 to 1 ft., a small lat.
Helipterum corymbiflorum Schlecht.
siliques *Helipterum* (spec.) to 3 in in

between, with occ. low *Bassia* & ~~other~~
tussocks of dead grass to 6 in. *Pereliptrana*
rana (n) Mosabaskoth on & between the
shrubs, but probably mainly between
them, possibly feeding on the low
observed feeding on flowers of the shrubby composite
Helipterum. (18 mile peg from Hay)

511. Hay.

519. 512 Hay.

514. Large flowered woodland to soft,
Pereliptrana rana,
with dense *Bassia quinquecuspis* to
18 in, *Atriplex* spp. to 9 in, occ. soft
Bassia, barley grass. Grey self-mulching
soil with large cracks & holes.

Schino (n) Chork (n)

528. Perfectly flat plain, slightly to mod.
Eumys nov. 22(?) sp., *Eumys* nov. 23(?) sp.
in grey-brown soil, with dense

patches of
Kochia aphylla & *Atriplex vesicaria* to
18 in., low annual *Atriplex* spp. & silvery
Helipterum, occ. badley grass. Very dry.
Perelybrana.

539. Flat plain, compact brown loam.
Perelybrana rana (j.)
Bassia spp. & annual *Atriplex*.
553. Red-brown sandy loam plain.
Lycopers sp. *Ixiolaena tomentosa* Soud. & F. Muell.
with yellow-flowered composite to 10 DC
to 4 in (spec.) *Helipterum floribundum*
& white everlasting & a tussocky grass
to 6 in. Perelybrana (n).

562 Gumbao

583. Goolgawi
Krugeria marida, *Azizota ochracea* (j.), *Cratogeomys*
591. Mallee & stunted *intersecta* to 20 ft
sp. *Micocela* sp. 7. (to 6 ft) *Gumma* no 140 48 sp. 2
with broom bush & *Trochilodendron* & a young
& a microphyllous shrub (thorny) to 3 ft.
narrow-phyllode wattle to 3 ft, Very
sparse grass. Red sandy loam, undulating.

605. *Dealbata*, *Callitrochium* (all to 30 ft) *Callitrochium* (to 10 ft)
glauca & a phyllode wattle (spike type),
Moraba sp. (P480) *Gumma* no 220 sp. 2
on rocky quartzitic slope (The Gap?) in
a gap in range. A strongly tussocky grass
(Mt. Boppy species), & an *Arctida* sp. Brown
sandy loam. *Moraba* mainly on
tussocky grass.

619. Laukie's Springs.

619. 678. W. Wyalong.

693. Microcapa to 40 ft., Culah to 30 ft.,
Monistria pustulifera
yarran to 10 ft. on flat brown loams
with *Chloris acicularis* & occ. forbs.

Monistria associated with ~~a broad-~~
~~leaved plant (spec.)~~ low growth of
Echium plantagineum.

698 Barnedman.

699. Barnedman cemetery. Microcapa,
C. glauca, bullock, *Myoporum* sp.,
turpentine, *Chloris acicularis*, *Shipa* sp.
No *Helichrysum*, no *Themeda*, no morabine.

722. Timora.

723. Timora cemetery. no *Themeda* or
Helichrysum: not examined for moraba.

757. Stockinbingal Cemetery. *Meliodora* &
albens. 4000 *Themeda* & *Helichrysum*:
no moraba.